

## Section 1 – Chemical Product and Company Identification

**Product Name:** Style MM5594 and MM5595  
And Style MM2446XT & MM2445XT – Tacky Cloth  
**Chemical Name:** Fibrous Glass and Natural Rubber  
**CAS Number:** 65997-17-3  
**Product Use:** Thermal Insulation  
**Manufacturer Information:** McAllister Mills, Inc.  
McAllister Mills, Inc.  
173 Rainbow Circle  
Independence, VA 24348  
(276) 773-3114  
Emergency Contacts: Gary Burriss  
**Prepared By**  
Torri Nichols  
(276) 773-3114  
**Preparation Date:** July 6, 2011  
**Supercedes:** July 25, 2005

## Section 2 – Composition/Ingredient Information

CAS #	Component/Ingredient	Percent by Weight
65997-17-3	Fibrous Glass	50
	Uncured Natural Rubber	50

See Section 8 of this MSDS for exposure limit data for these ingredients

## Section 3 – Hazards Identification


**Appearance and Odor:** White rubber compound / slight characteristic odor

**Potential Health Effects:**

**Acute Inhalation:** Product may contain Toluene. Maximum level for airborne concentration is 100 ppm for glass fiber

Mechanical irritation of the mouth, nose and throat

**Skin Contact:** Exposure to this product may cause temporary irritation to the skin. Itching and possible inflammation are a mechanical reaction to the fibers and are not damaging in the way that chemical irritants may be.



**Eye Contact:** *Dust from this product may cause temporary mechanical irritation to the eyes.*

**Ingestion:** *Ingestion of this product is unlikely. However ingestion may produce gastro-intestinal irritation and disturbances.*

**Medical Conditions Aggravated by Exposure:** *Chronic respiratory or skin conditions will not improve and may worsen with exposure to this product.*

**Carcinogenicity:** NTP-n/a IARC-yes\* OSHA-n/a

\*Categorized as not classifiable relative to human carcinogenicity

**Ingredient:** *Fibrous Glass*

**IARC:** *Group 3, not classifiable as carcinogenic to humans*

**OSHA:** *Not listed*

#### Section 4 – First Aid Measures

**Inhalation:** *Remove from further exposure. If Cough or other symptoms develop, seek medical attention.*


**Skin Contact:** *If skin becomes irritated, do not rub or scratch. Wash the affected area with soap and water.*

**Eye Contact:** *If eyes become irritated, flush immediately with lukewarm water for 15 minutes.*

**Ingestion:** *Drink plenty of water to reduce irritation. If irritation persists, seek medical attention.*

#### Section 5 – Fire Fighting Measures

Is this product flammable?	No	Lower Flammability Limit	Not Available
Flash Point	>250°C by TOC	Flammability Classification	Not Determined
Upper Flammable Limit	Not Applicable	Explosion Sensitivity Data to mechanical impact	Not Available
Auto Ignition Temperature	700°F	Explosion Sensitivity Data to static discharge	Not Available
Flash Point Method	Not Applicable	Hazardous Combustion Products Data	Not Available



**General Fire Hazards:** *There is no potential for fire or explosion.*  
**Extinguishing Media:** *Dry chemical, foam, carbon dioxide, and water fog.*  
**Fire Fighting Instructions:** *No special procedures necessary. Use normal fire fighting procedures.*

## Section 6 – Accidental Release Measures

**Containment Procedures:** *Pick up any large pieces. Use high efficiency vacuum to clean up spilled material. Use wet sweeping where sweeping is necessary. Do not use compressed air for clean up.*  
**Clean-Up Procedures:** *Collect material and place in a suitable container for disposal as non-hazardous waste.*

## Section 7 – Handling and Storage

**General Storage:** *Product may contain Toluene and should be stored in a well ventilated area. Use good and safe workplace practices when handling this material.*  
**Handling:** *Handling and use in a manner consistent with good industrial & manufacturing techniques and practices.*  
**Storage:** *Store in un-opened containers under cool and dry conditions.*  
**Storage Temperature:** *Not Determined*  
**Loading Temperature:** *Not Applicable*

## Section 8 – Exposure Controls / Personal Protection

**Engineering Controls:** *If dust is generated, provide local exhaust ventilation to control airborne levels below ACGIH TLV-TWA exposure limit for Particulates Not Otherwise Classified of 10mg/m<sup>3</sup> for inhalable particles and 3mg/m<sup>3</sup> for respirable.*


### **Personal Protective Equipment:**

**Eyes and Face:** *Wear safety glasses with side shields or goggles when handling this material.*

**Skin:** *Use appropriate workplace clothing and procedures when using this material*

**Respiratory:** *If airborne dust is present, use a NIOSH approved particulate respirator. (3M 8710)*

**Comments** *This product contains no known OSHA hazardous ingredients per 29 CFR 1910.1200*



<b><u>Hazardous Ingredients</u></b>	<b><u>OSHA PEL</u></b>	<b><u>ACGIH TLV</u></b>	<b><u>Other</u></b>
Fibrous Glass (respirable nuisance dust) (NIOSH)	5mg/M <sup>3</sup>	10 mg/M <sup>3</sup>	3x10(6)/M <sup>3</sup>

*Particular care should be taken when working with material that has been in service to minimize dust. If exposure limits are exceeded or if irritation is experienced, approved respiratory protection should be worn.*

### Section 9 – Physical and Chemical Properties

<b>Appearance</b>	White Rubber	<b>Odor</b>	Slight odor
<b>Physical State</b>	Tacky Rubber	<b>pH in water</b>	Not Applicable
<b>Vapor Density</b>	Not Applicable	<b>Melting Point</b>	1000 ° F +
<b>Vapor Pressure</b>	Not Applicable	<b>Freezing Point</b>	Not Applicable
<b>Specific Gravity</b>	2.40	<b>Solubility</b>	Insoluble
<b>Odor Threshold</b>	Not Applicable	<b>Boiling Point</b>	Not Applicable
<b>Evaporation Rate</b>	Not Applicable	<b>Coefficient of Water/Oil Distribution</b>	Not Applicable

### Section 10 – Chemical Stability & Reactivity Information

**Stability:** *Direct flame will ignite elastomeric compound*

**Reactivity:** *Avoid strong oxidizing agents.*

**Hazardous Decomposition:** Carbon Monoxide may be generated under certain conditions. There may be others unknown to us.


**Incompatible Material:** *Fabric strength is destroyed in strong bases and Hydrofluoric acid. Rubber compound is affected by strong oxidizers.*

**Hazardous Polymerization:** *Will not occur*

### Section 11 – Toxicological Information

**Acute Toxicity:**

**A) General Product Information:** *Dusts may cause mechanical irritation to skin and eyes. Inhalation may cause coughing, nose and throat irritation or sneezing.*



**B) Component Analysis:**

**Component Carcinogenicity:** *None known*

**Irritancy of the Product:**

**Acute Inhalation:** *Dust from this product may cause mechanical irritation of the nose, throat and respiratory tract.*

**Skin Contact:** *Dust from this product may cause temporary irritation to the skin.*

**Eye Contact:** *Dust from this product may cause temporary mechanical irritation to the eyes.*

**Section 12 – Ecological Information**

*No ecological concerns can be identified with this product*

**Section 13 – Disposal Considerations**

**US EPA Waste Number and Descriptions:**

**A) General Product Information:** *This product is not expected to be a characteristic waste under RCRA.*

**B) Component Waste Numbers:** *No EPA Numbers are applicable for this product's components.*

**Disposal Instructions:** *This product can be disposed of in a normal manner. Local regulations may apply.*

**Section 14 – Transportation Information**

**US DOT Regulations:**

**Primary Hazard Class / Division:** *This product has no classification.*

**Other Shipping Information:** *Product should remain in a proper container during transportation.*

**Section 15 – Regulatory Information**

**US Federal Regulations:**

**A) General Product Information:** *No additional information available*

**B) Component Analysis:** *None of the components of this product are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).*



**State Regulations:**

- A) General Product Information:** *No Additional Information available.*  
**B) Component Analysis – State:** *The Following Components appear on one or more of the state hazardous substance list:*

Component	CAS#	CA	FL	MA	MN	NJ	PA
Fibrous Glass	65997-17-3	No	No	No	No	No	No

**Other Regulations:**

- A) General Product Information:** *No additional Information available.*  
**B) TSCA Status:** *This Product and its components are listed on the TSCA 8(b) inventory. None of the components listed on the TSCA Export Notification 12(b) list.*  
**C) Component Analysis - Inventory**

Component	CAS#	TSCA	DSL	ELNCS
Fibrous Glass	65997-17-3	No	No	No

- D) Canada Workplace Hazardous Materials Information System (WHMIS)**  
*This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.*

**Section 16 – Other Information**